

Installing and Using `tinytex`

Ryan T. Moore*

2025-08-16

1 Background

We will use RStudio to create `.qmd` files that contain our writing and our analysis in one file. We will compile (or “render” or “knit”) these `.qmd` files into `.pdf` files so that we can print them and upload them in an easy-to-read, portable format. The R package `{tinytex}` will help us configure some code that sits in the background and performs this compilation from `.qmd` to `.pdf`. After this initial installation, we will not need to invoke `tinytex` directly.

2 Procedure

Here are the steps for compiling directly to PDF. Open R and run

1. `install.packages("tinytex")`
2. `tinytex::install_tinytex()`
This step will take a couple minutes. Pay attention to any warnings/notices that arise, including those at the R prompt.

Now, restart RStudio (not just R, but the full RStudio).

Suppose you have a file called `my_ps_solutions.qmd` that you want to compile. To compile it, use the “Render” button.

To view your file, open the created `my_ps_solutions.pdf` in whatever you use to view PDFs (Preview, Acrobat, Skim, etc.)

To compile your file, you actually have several options:

- Use the “Render” button
- At the R prompt, run
`rmarkdown::render("my_ps_solutions.qmd", "pdf_document")`
- At the R prompt, run
`rmarkdown::render("my_ps_solutions.qmd")`
if your `.qmd` file says `format: pdf` in the header

*Department of Government, American University, Kerwin Hall 234, 4400 Massachusetts Avenue NW, Washington DC 20016-8130. tel +1 202 885 6470; rtm (at) american (dot) edu; <http://ryantmoore.org>.